RDM-6WALL SIGNAL SPLITTER

The RDM-6WALL signal splitter is a 6-port wall mount RDM splitter designed for system distribution of DMX-512A(RDM) network. Use as easy as the normal DMX512 splitter, plug and play with 3-pin signal connectors.



- Compatible for both DMX-512A(RDM) and DMX-512(1990)
- Compact plastic wall mount housing design
- Signal In/Thru (3 pin connector) and 6 ports Signal buffered output (3 pin connector)
- Signal Line Out or Terminate push button
- CE / ETL/cETL and FCC marked
- Designed and manufactured to ISO9001 Standard

For detailed product information, please refer to the Product Guide at https://www.vari-lite.com/global/products/dmx-networking-nodes





Specifications

Due to continuous improvements and innovations, specifications may change without notice.

Electrical

Supply Voltage	12-24VDC
Connections	
DMX/RDM In	1x 3-pin Phoenix Connector
DMX/RDM Out	6x 3-pin Phoenix Connector
DMX/RDM Thru	1x 3-pin Phoenix Connector
Power In/Thru	1 x 4-pin Phoenix Connector


Certification and Safety

Approvals/Listings CE / ETL/	cETL and FCC marked
------------------------------	---------------------

Physical

Operating temperature	0-35°C (32-95°F)
Humidity	5-95% non-condensing
Storage Tempature	-40-70°C (-40-158°F)
Dimensions	106 x 195 x 22 mm (4.17 x 7.7 x 0.87 in)
Weight	0.2 kg (.44 lb)

Dimensions



Product and Accessories

Product Name Order Code

DMX512A(RDM) 6 ports splitter, wall mount RDM6WALL

